

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

1.1 Product identifier	
Trade name: <u>ZIRCONIT</u>	E PANEL-PREP
Sector of Use SU3 Industrial uses: Use	<b>uses of the substance or mixture and uses advised against</b> es of substances as such or in preparations at industrial sites Private households / general public / consumers
<b>1.3 Details of the suppli</b> <b>Manufacturer/Supplier:</b> Concept Chemicals & Co Felt Court, Windmill Lane Denton, Manchester M34 Tel 00 44 (0)161 335 02 <sup>-1</sup> Fax 00 44 (0)161 335 02 <sup>-1</sup>	nd.Estate 3RB England 3
Further information obt Concept Chemicals & Co Ltd. Felt Court, Windmill I Manchester M34 3RB En Tel 00 44 (0)161 335 021 Fax 00 44 (0)161 335 02 kenny@conceptchemical <b>1.4 Emergency telephor</b> During working hours GM Tel: 0044 (0)161 335 02 Fax: 0044 (0)161 335 02	atings Lane Ind.Estate Denton, gland 3 14 s.com <b>ne number:</b> IT 09.00 - 17.00 3
SECTION 2: Hazard	s identification

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms GHS02, GHS05

(Contd. on page 2)

GB



Page 2/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

Trade name: ZIRCONITE PANEL-PREP

(Contd. of page 1) · Signal word Danger · Hazard-determining components of labelling: ethyl (S)-2-hydroxypropionate · Hazard statements H225 Highly flammable liquid and vapour. H318 Causes serious eye damage. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P103 Read carefully and follow all instructions. Keep away from heat, hot surfaces, sparks, open flames and other ignition P210 sources. No smoking. P251 Do not pierce or burn, even after use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · 2.3 Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components: CAS: 64-17-5 50-100% ethanol EINECS: 200-578-6 Flam. Liq. 2, H225
Eye Irrit. 2, H319 Reg.nr.: 01-2119457610-43 CAS: 687-47-8 ethyl (S)-2-hydroxypropionate 10-25% EINECS: 211-694-1 🚸 Flam. Liq. 3, H226 🍝 Eye Dam. 1, H318 🔥 STOT SE 3, H335 CAS: 107-98-2 monopropylene glycol methyl ether 5-10% EINECS: 203-539-1 Flam. Liq. 3, H226 STOT SE 3, H336 Reg.nr.: 01-2119457435-35-0000 CAS: 67-56-1 0-2.5% methanol EINECS: 200-659-6 🚸 Flam. Lig. 2, H225 Reg.nr.: 01-2119433307-44 À Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3. H331 🔈 STOT SE 1, H370 Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)



Page 3/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

Trade name: ZIRCONITE PANEL-PREP

(Contd. of page 2)

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Generally the product does not irritate the skin.
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. Do not allow to enter sewers /surface or ground water drains.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Risk of serious damage to eyes. Prevent formation of vapours Risk of serious damage to eyes.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.

(Contd. on page 4)

GB



Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

(Contd. of page 3)

#### Trade name: ZIRCONITE PANEL-PREP

Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

107-98-2 monopropylene glycol methyl ether

WEL Short-term value: 560 mg/m<sup>3</sup>, 150 ppm Long-term value: 375 mg/m<sup>3</sup>, 100 ppm Sk

#### 67-56-1 methanol

WEL Short-term value: 333 mg/m<sup>3</sup>, 250 ppm Long-term value: 266 mg/m<sup>3</sup>, 200 ppm Sk

#### · DNELs

#### 64-17-5 ethanol

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rab)
Inhalative	LC50/4 h	>2,000 mg/kg (rat) >2,000 mg/kg (rab) >20 mg/l (rat)

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

Personal protective equipment

- General protective and hygienic measures
- Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands: Protective gloves.

· Material of gloves Natural rubber, NR

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

Trade name: ZIRCONITE PANEL-PREP

· Eye protection: Safety glasses

9.1 Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour: Odour threshold:	Alcohol-like Not determined.
pH-value at 20 °C:	7.5
	1.0
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range	
Flash point:	13 °C
Flammability (solid, gaseous)	Highly flammable.
Ignition temperature:	270 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	15 Vol %
Vapour pressure at 20 °C:	59 hPa
Density at 20 °C:	0.828 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Organic solvents:	90.0 %
	0.0 %

(Contd. of page 4)



Page 6/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

(Contd. of page 5)

#### Trade name: ZIRCONITE PANEL-PREP

· 9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

<sup>-</sup> GB



Page 7/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

(Contd. of page 6)

Trade name: ZIRCONITE PANEL-PREP

· **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations** 

- · 13.1 Waste treatment methods
- · Recommendation Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1993

· ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR · IMDG	1993 FLAMMABLE LIQUID, N.O.S., special provision 640D (ETHANOL (ETHYL ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL
	ALCOHOL))
·IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	11
· 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	
· EMS Number: · Stowage Category	F-E, <u>S-E</u> B
	В
• 14.7 Transport in bulk according to Annex II	Natanaliashla
of Marpol and the IBC Code	Not applicable.
<ul> <li>Transport/Additional information:</li> </ul>	
ADR	
<ul> <li>Limited quantities (LQ)</li> </ul>	1L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

Trade name: ZIRCONITE PANEL-PREP

	(Contd. of page 7)
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	2 D/E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, 11

## SECTION 15: Regulatory information

<i>mixture</i> <i>Labelling ac</i> <i>The product i</i>	health and environmental regulations/legislation specific for the substance or cording to Regulation (EC) No 1272/2008 s classified and labelled according to the GB CLP regulation. ograms GHS02, GHS05 Danger
ethyl (S)-2-hy • <b>Hazard state</b> H225 Highly 1 H318 Causes	flammable liquid and vapour. s serious eye damage.
· Precautional	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· Seveso cate · Qualifying q	<b>12/18/EU</b> Ierous substances - ANNEX I None of the ingredients is listed. gory P5c FLAMMABLE LIQUIDS uantity (tonnes) for the application of lower-tier requirements 5.000 t uantity (tonnes) for the application of upper-tier requirements 50.000 t
· National reg	ulations
	<b>class:</b> Water hazard class 1 (Self-assessment): slightly hazardous for water. <b>al safety assessment:</b> A Chemical Safety Assessment has been carried out.
	GB (Contd_on_page 9)

(Contd. on page 9)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.09.2022

Revision: 21.09.2022

### Trade name: ZIRCONITE PANEL-PREP

(Contd. of page 8)

	This information is based on our present knowledge. However, this shall not constitute a guarant for any specific product features and shall not establish a legally valid contractual relationship.
	Relevant phrases
	H225 Highly flammable liquid and vapour.
	H226 Flammable liquid and vapour.
ŀ	H301 Toxic if swallowed.
ŀ	H311 Toxic in contact with skin.
ŀ	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H331 Toxic if inhaled.
-	H335 May cause respiratory irritation.
	H336 May cause drowsiness or dizziness.
	H370 Causes damage to organs.
	Contact: Mr N Wardlaw
	Abbreviations and acronyms:
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern
	he International Carriage of Dangerous Goods by Road)
	MDG: International Maritime Code for Dangerous Goods
	ATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (UK REACH)
F	PBT: Persistent, Bioaccumulative and Toxic
	/PvB: very Persistent and very Bioaccumulative
	Flam. Liq. 2: Flammable liquids – Category 2
	Flam. Liq. 3: Flammable liquids – Category 3
	Acute Tox. 3: Acute toxicity – Category 3
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
	STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Page 9/9