

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Reviewed on 08/13/2021

- · Product Identifier
- · Trade Name: Surface P-40 XTRA
- · Product Number: 71101
- · Relevant identified uses of the substance or mixture and uses advised against:
- · *Product Description:* Rubbing/polishing compound for paint finishes.
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind. Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 www.conceptchemicals.com kenny@conceptchemicals.com
- *Emergency telephone number:* PERS Emergency Response Domestic and Canada: 1-800-633-8253 International: +001-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2A	H319 Causes serious eye irritation.
Flam. Liq. 4	H227 Combustible liquid.
Aquatic Acute 3	H402 Harmful to aquatic life.

· Label elements:

· Hazard pictograms:



- · Signal word: Warning
- · Hazard-determining components of labeling:
- Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
- Hazard statements:
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H402 Harmful to aquatic life.

Precautionary statements:

P210 Keep away from flames and hot surfaces. – No smoking.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.



Page 2/10

Reviewed on 08/13/2021

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Trade Name: Surface P-40 XTRA

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE2Fire = 2REACTIVITY0Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Substance

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:

	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	15-35%
	🚸 Asp. Tox. 1, H304; Flam. Liq. 4, H227	
CAS: 1344-28-1	Aluminum Oxide	10-15%
RTECS: BD 1200000	🚸 STOT SE 3, H335	
CAS: 8001-79-4	Castor oil	≤2.5%
RTECS: FI 4100000	Eye Irrit. 2B, H320	
CAS: 61791-26-2	Amines, tallow alkyl, ethoxylated	≤2.5%
	Skin Corr. 1A, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2A, H319	
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤2.5%
CAS: 14548-60-8	Benzylhemiformal	≤2.5%
	🛞 Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 3, H331	

• Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Reviewed on 08/13/2021

Trade Name: Surface P-40 XTRA

4 First-Aid Measures

- · Description of first aid measures
- · General information: If symptoms persist, call a physician.
- · After inhalation:
- Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
- In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• After swallowing:

If swallowed and symptoms occur, consult a doctor.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

5 Fire-Fighting Measures

· Extinguishing media

• Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: No further relevant information.

· Special hazards arising from the substance or mixture:

Combustible liquid. Vapors can travel to a source of ignition and flash back.

Explosive mixtures may occur at temperatures at or above flashpoint.

- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Reviewed on 08/13/2021

Trade Name: Surface P-40 XTRA

· PAC-1:		
1344-28-1	Aluminum Oxide	15 mg/m³
56-81-5	Glycerol	45 mg/m³
· PAC-2:		
1344-28-1	Aluminum Oxide	170 mg/m³
56-81-5	Glycerol	180 mg/m³
· PAC-3:		
1344-28-1	Aluminum Oxide	990 mg/m³
56-81-5	Glycerol	1,100 mg/m³

7 Handling and Storage

· Handling

• Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

• Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

TWA Long-term value: 1200 mg/m³

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls:

- Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

• Breathing equipment: Not required.



Page 5/10

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Reviewed on 08/13/2021

Trade Name: Surface P-40 XTRA

· Protection of hands:



Protective gloves

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Goggles recommended during refilling.

• *Limitation and supervision of exposure into the environment:* Keep away from drains, surface and ground waters. Avoid release into the environment.

9 Physical and Chemical Properties

 Information on basic physical and c General Information 	chemical properties
 Appearance: Form: Color: Odor: Odor threshold: 	Viscous liquid Grey Mild Not determined.
· pH-value @ 20 °C (68 °F):	7-9
 Change in condition Melting point/Melting range: 	Not determined.
· Flash point:	>70 °C (>158 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not applicable
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
• Danger of explosion:	Not determined.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density @ 20 °C (68 °F): Relative density: Vapor density: 	1.026 g/cm³ (8.562 lbs/gal) Not determined. Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Reviewed on 08/13/2021

Trade Name: Surface P-40 XTRA

• Evaporation rate:	Not determined.
 Solubility in / Miscibility with: Water: 	Partly miscible.
· Partition coefficient (n-octanol/w	ater): Not determined.
 Viscosity: Dynamic @ 20 °C (68 °F): Kinematic: 	24,000 mPas Not determined.
 Solvent content: Organic solvents: VOC content: 	1.4 % 0.00 % 0.0 g/l / 0.00 lb/gal
. Other information:	No further relevant information available

· Other information:

No further relevant information available.

0 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Toxicological Information

· Information on toxicological effects:

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Hydrocart	oons, C11-C14,	n-alkanes, isoalkanes, cyclics, <2% aromatics	
Inhalative	LC50/96 hours	>1,000 mg/l (Fish - Poecilia reticulate, 96h)	
1344-28-1	Aluminum Oxi	de	
Oral	LD50	>10,000 mg/kg (Rat)	
Inhalative	LC50/4 h	>2.6 mg/l (Rat)	
8001-79-4 Castor oil			
Oral	LD50	>4,952 mg/kg (Rat)	
61791-26-	61791-26-2 Amines, tallow alkyl, ethoxylated		
Oral	LD50	1,437 mg/kg (Rat)	
Dermal	LD50	>1,260 mg/kg (Rabbit)	
56-81-5 Glycerol			
Oral	LD50	12,600 mg/kg (Rat)	
Dermal	LD50	>10,000 mg/kg (Rabbit)	
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)	

· Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

· On the eye: No irritating effect.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:



Reviewed on 08/13/2021

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Trade Name: Surface P-40 XTRA

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

- · Toxicity:
- Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

Hydrocarbor	ns, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

EC50 >250 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- *Bioaccumulative potential:* No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, IMDG, IATA
- UN proper shipping name:
- · DOT, ADR/ADN, IMDG, IATA
- Transport hazard class(es):
- · DOT, ADR/ADN, ADN, IMDG, IATA
- Class:

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Reviewed on 08/13/2021

 Packing group: DOT, ADR/ADN, IMDG, IATA Environmental hazards: Special precautions for user: Transport in bulk according to And 		
MARPOL73/78 and the IBC Code: • UN "Model Regulation":	Not applicable. Non-Regulated Material	
5 Regulatory Information		
 Safety, health and environmental in No further relevant information availated SARA (Superfund Amendments and Section 355 (extremely hazardous None of the ingredients are listed. 	nd Reauthorization):	nce or mixture:
<u> </u>	al liadiu wa).	
Section 313 (Specific toxic chemic	ai listings):	
1344-28-1 Aluminum Oxide		
TSCA (Toxic Substances Control	•	
7732-18-5 Water, distilled water, de	eionized water	ACTIV
1344-28-1 Aluminum Oxide		ACTIV
8001-79-4 Castor oil		ACTIV
61791-26-2 Amines, tallow alkyl, eth	oxylated	ACTIV
56-81-5 Glycerol	Quesetel NIN his (hudrey) (athod)	ACTIV
68603-38-3 Amides, C16-18 and C1 14548-60-8 Benzylhemiformal	8-unsatd., N,N-DIS(Nydroxyethyl)	ACTIVE
-		ACTIVI
Hazardous Air Pollutants		
None of the ingredients are listed.		
California Proposition 65: Chemicals known to cause cancer		
None of the ingredients are listed.		
Chemicals known to cause reprod	uctive toxicity for females:	
None of the ingredients are listed.		
· Chemicals known to cause reprod	uctive toxicity for males:	
None of the ingredients are listed.		
· Chemicals known to cause develo	pmental toxicity:	
None of the ingredients are listed.		
• New Jersey Right-to-Know List:		
1344-28-1 Aluminum Oxide		
56-81-5 Glycerol		
· New Jersey Special Hazardous Su	bstance List:	
None of the ingredients are listed.		
None of the ingredients are listed.		
· Pennsylvania Right-to-Know List:		
-		

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Е

A4

Reviewed on 08/13/2021

Trade Name: Surface P-40 XTRA

/Ivania Special Hazardo	us Substance List:
-------------------------	--------------------

1344-28-1 Aluminum Oxide

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

1344-28-1 Aluminum Oxide

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



· Signal word: Warning

Hazard-determining components of labeling: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard statements:

- H227 Combustible liquid.
- H315 Causes skin irritation.

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

Precautionary statements:

Frecaulionary Sid	
P210	Keep away from flames and hot surfaces. – No smoking.
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/13/2021

Trade Name: Surface P-40 XTRA

Reviewed on 08/13/2021

· Contact: · Date of last revision/ revision number: 08/13/2021 / 1 Abbreviations and acronyms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 * Data compared to the previous version altered. www.msdsauthoring.com SDS created by MSDS Authoring Services +1-877-204-9106