

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

#### Printing date 02.03.2019

Revision: 02.03.2019

1.1 Produ	t identifier
Trade nan	e: Zirconite Stage 2 NANO Glaze
Sector of SU3 Indu	it identified uses of the substance or mixture and uses advised against
<i>Manufact</i> Concept C Felt Court, Denton, M Tel 00 44	of the supplier of the safety data sheet rer/Supplier: emicals & Coatings Ltd. Vindmill Lane Ind.Estate nchester M34 3RB England )161 335 0213 D)161 335 0214
Concept C Ltd. Felt C Mancheste Tel 00 44 Fax 00 44 cheryl@cc <b>1.4 Emerg</b> During wo Tel: 0044	ormation obtainable from: emicals & Coatings urt, Windmill Lane Ind.Estate Denton, M34 3RB England )161 335 0213 D)161 335 0214 ceptchemicals.com ncy telephone number: ing hours GMT 09.00 - 17.00 )161 335 0213 D)161 335 0214
SECTIO	2: Hazards identification

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking. Contains trimethoxy(methyl)silane. May produce an allergic reaction. Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

GB



Page 2/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

#### Trade name: Zirconite Stage 2 NANO Glaze

(Contd. of page 1)

SECTION 3: Composition/	information on ingredients	
<ul> <li>3.2 Chemical characterisation: I</li> <li>Description: Mixture of substance</li> </ul>	<b>Mixtures</b> es listed below with nonhazardous additions.	
<ul> <li>Dangerous components:</li> </ul>		
CAS: 64742-47-8 EC number: 926-141-6 Bog pr : 01 2110456620 42 ywyy	Distillates (petroleum), hydrotreated light (contains <0.1%benzene)	10-25%
Reg.nr.: 01-2119456620-43-xxxx		E 400/
CAS: 64742-48-9 EINECS: 265-150-3 Reg.nr.: 01-2119463258-33-0002	Hydrocarbons, C9-C11, n- alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%	5-10%
	<ul> <li>Flam. Liq. 3, H226</li> <li>Asp. Tox. 1, H304</li> <li>STOT SE 3, H336</li> </ul>	
CAS: 8052-41-3	Stoddard solvent	0-2.5%
EINECS: 232-489-3 Reg.nr.: 01-2120261965-45-0000	<ul> <li>Flam. Liq. 3, H226</li> <li>Asp. Tox. 1, H304</li> </ul>	
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43-0000	Decamethylcyclopentasiloxane substance with a Community workplace exposure limit	0-2.5%
·SVHC		
541-02-6 Decamethylcyclopentas	iloxane	

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information Immediately remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

GB



Page 3/7

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

(Contd. of page 2)

#### Trade name: Zirconite Stage 2 NANO Glaze

#### · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers /surface or ground water drains.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- · 6.4 Reference to other sections No dangerous substances are released.

### **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 64742-47-8 Distillates (petroleum), hydrotreated light (contains <0.1%benzene)

TWA Long-term value: 200 mg/m<sup>3</sup>

```
64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%
```

OEL Short-term value: 600 mg/m<sup>3</sup>, 100 ppm Long-term value: 300 mg/m<sup>3</sup>, 50 ppm

541-02-6 Decamethylcyclopentasiloxane

TWA Long-term value: 10 ppm

· DNELs

64742-47-8 Distillates (petroleum), hydrotreated light (contains <0.1%benzene)

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	>5.2 mg/l (rat)

(Contd. on page 4)

GB



Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

(Contd. of page 3)

Trade name: Zirconite Stage 2 NANO Glaze

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not required.

- Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

### **SECTION 9: Physical and chemical properties**

General Information	
Appearance:	
Form:	Viscous
Colour:	White
Odour:	Characteristic
oH-value at 20 °C:	9
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling ran	<b>ige:</b> undetermined
Flash point:	>65 °C
gnition temperature:	230 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	7.0 Vol %
/apour pressure at 20 °C:	23 hPa
Density at 20 °C:	0.98 g/cm³
Solubility in / Miscibility with	
Water:	Partly miscible
/iscosity:	
dynamic at 20 °C:	30000 mPas
kinematic:	Not determined.
	Not determined. No further relevant information available.

(Contd. on page 5)



Page 5/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: Zirconite Stage 2 NANO Glaze

(Contd. of page 4)

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)



Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: Zirconite Stage 2 NANO Glaze

(Contd. of page 5)

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Do not allow product to reach ground water or water course.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	on
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR · ADN, IMDG, IATA	Void Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
<sup>•</sup> 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Transport in bulk according to Ann of Marpol and the IBC Code</li> </ul>	ex II Not applicable.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 70

· National regulations

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

(Contd. on page 7)

GB



Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

### Trade name: Zirconite Stage 2 NANO Glaze

(Contd. of page 6)

Relevant phrases         H226 Flammable liquid and vapour.         H304 May be fatal if swallowed and enters airways.         H336 May cause drowsiness or dizziness.         Department issuing SDS: Technical Department.         Contact: Mr W Broadhurst         Abbreviations and acronyms:         ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concernin, International Carriage of Dangerous Goods by Road)         IMDG: International Maritime Code for Dangerous Goods         IATA: International Air Transport Association         GHS: Globally Harmonised System of Classification and Labelling of Chemicals         EINECS: European Inventory of Existing Commercial Chemical Substances         ELINCS: European List of Notified Chemical Substances         CAS: Chemical Abstracts Service (division of the American Chemical Society)         DNEL: Derived No-Effect Level (REACH)         PBT: Persistent, Bioaccumulative and Toxic         SVHC: Substances of Very High Concern         vPVB: very Persistent and very Bioaccumulative		rmation is based on our present knowledge. However, this shall not constitute a guara pecific product features and shall not establish a legally valid contractual relationship.
Contact: Mr W Broadhurst Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern	H226 Fl H304 M	mmable liquid and vapour. y be fatal if swallowed and enters airways.
Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1	Contact Abbrevi ADR: Acc Internation IMDG: Inte IATA: Inte GHS: Glol EINECS: I ELINCS: I CAS: Che DNEL: De DNEL: De SVHC: Su vPvB: ver Flam. Liq. STOT SE	Mr W Broadhurst ations and acronyms: ard européen sur le transport des marchandises dangereuses par Route (European Agreement concerning al Carriage of Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals "uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ived No-Effect Level (REACH) stent, Bioaccumulative and Toxic Sostances of Very High Concern Persistent and very Bioaccumulative 3: Flammable liquids – Category 3 3: Specific target organ toxicity (single exposure) – Category 3