

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

identifier e: <u>ZIRCONITE NANO Pre-G</u> ber: 473 t identified uses of the su se	Naza Stara 1
ber: 473 t identified uses of the su	Naza Stara 1
t identified uses of the su	slaze Slage T
trial uses: Uses of substance	bstance or mixture and uses advised against es as such or in preparations at industrial sites xture Preparation of coatings
of the supplier of the safe er/Supplier: emicals & Coatings Ltd. Vindmill Lane Ind.Estate nchester M34 3RB England)161 335 0213)161 335 0214	ty data sheet
ermation obtainable from: emicals & Coatings urt, Windmill Lane Ind.Estate M34 3RB England)161 335 0213 D)161 335 0214 ceptchemicals.com ncy telephone number: Gl	e Denton, IFTINFORMASJONEN Telefon 22591300
2: Hazards identificat cation of the substance or on according to Regulatio	r mixture
HS02 flame	
H226 Flammable liquid an	d vapour.
IS08 health hazard	
	owed and enters airways.
H304 May be fatal if swalld	
H304 May be fatal if swalld IS07	
	ess or dizziness.
H:	



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

	(Contd. of page 1)
Hazard-detern	nining components of labelling:
	c, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is
<0.1%	, ,,, ,
Distillates (petr	roleum), hydrotreated light
(contains <0.1)	
Hazard staten	nents
H226 Flammal	ble liquid and vapour.
H336 May cau	se drowsiness or dizziness.
H304 May be f	atal if swallowed and enters airways.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331	Do NOT induce vomiting.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
Additional inf	ormation:
EUH066 Repe	ated exposure may cause skin dryness or cracking.
2.3 Other haza	ards
Results of PB	T and vPvB assessment
PBT: Not appli	icable.
vPvB: Not app	licable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Solvent mixture.

Dangerous components:		
	H y d r o c a r b o n s , C 9 - C 1 1 , n - alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%	50-100%
CAS: 64742-47-8 EC number: 926-141-6 Reg.nr.: 01-2119456620-43-xxxx	Distillates (petroleum), hydrotreated light (contains <0.1%benzene)	2.5-5%
	and in a state of the state of the second in the second second second second second second second second second	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information Immediately remove any clothing soiled by the product.

(Contd. on page 3)

GB



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

(Contd. of page 2)

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing Do not induce vomiting; call for medical help immediately. Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents
- Water.

Water with full jet.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers /surface or ground water drains.

6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

- 6.4 Reference to other sections
- See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Risk of serious damage to eyes.

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

OEL Short-term value: 600 mg/m³, 100 ppm Long-term value: 300 mg/m³, 50 ppm

64742-47-8 Distillates (petroleum), hydrotreated light (contains <0.1%benzene)

TWA Long-term value: 200 mg/m³

· DNELs

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rab)

• Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Rubber gloves

Solvent resistant gloves

- · Material of gloves Nitrile rubber, NBR
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:

Safety glasses

(Contd. on page 5)

GB

ZIRCONITE

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

(Contd. of page 4)

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

Goggles recommended during refilling.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties		
General Information	chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Clear	
· Odour:	Specific type	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/freezing point:	-25 °C	
Initial boiling point and boiling range	e: 162 °C	
· Flash point:	40 °C	
· Flammability (solid, gaseous)	Flammable.	
· Ignition temperature:	>230 °C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	0.9 Vol %	
Upper:	8.0 Vol %	
Vapour pressure at 20 °C:	0.36 hPa	
· Density at 20 °C:	0.77 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic at 20 °C:	1 mPas	
kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

⁻ GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eve damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Do not allow product to reach ground water or water course.

(Contd. on page 7)



(Contd. of page 5)

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

(Contd. of page 6)

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1268
14.2 UN proper shipping name ADR IMDG, IATA	1268 PETROLEUM DISTILLATES, N.O.S. PETROLEUM DISTILLATES, N.O.S.
14.3 Transport hazard class(es)	
ADR	
Class	3 Flammable liquids.
Label IMDG, IATA	3
Class	3 Flammable liquids.
14.4 Packing group ADR, IMDG, IATA	111
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Danger code (Kemler): Stowage Category	Warning: Flammable liquids. 30 A
14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
Transport category Tunnel restriction code	3 D/E



Page 7/9



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

	(Contd. of page 7
· IMDG · Limited quantities (LQ)	5L Code: E1
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1268 PETROLEUM DISTILLATES, N.O.S., 3 III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS02, GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

Distillates (petroleum), hydrotreated light

(contains <0.1%benzene)

Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P301+P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P331Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2019

Revision: 02.03.2019

Trade name: ZIRCONITE NANO Pre-Glaze Stage 1

	(Contd. of page 8
Relevant phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness.	
Department issuing SDS: Technical Department. Contact: Mr W Broadhurst Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dang International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods	ereuses par Route (European Agreement concerning th
IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling EINECS: European Inventory of Existing Commercial Chemical S ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chen DNEL: Derived No-Effect Level (REACH) PBT: Persistent, Bioaccumulative and Toxic	nical Society)
vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Cat Asp. Tox. 1: Aspiration hazard – Category 1	egory 3