

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

Page 1/8

- · Product Identifier
- · Trade Name: ZIRCONITE ZG-365 COATING
- · Product Number: ZIR365
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Graphene infused protective Coating
- · Details of the Supplier of the Safety Data Sheet:
- *Manufacturer/Supplier:* Concept Chemicals & Coatings Ltd. Felt Court, Windmill Lane Ind. Estate Denton, Manchester M34 3RB England Tel 00 44 (0)161 335 0213 Fax 00 44 (0)161 335 0214 www.conceptchemicals.com kenny@conceptchemicals.com
- *Emergency telephone number:* PERS Emergency Response Domestic and Canada: 1-800-633-8253 International: +001-801-629-0667
- 2 Hazard(s) Identification
- Classification of the substance or mixture: The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of
- §1910.1200(g) and GHS Rev 03.
- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:
- This value refers to knowledge of known, established toxicological or ecotoxicological values.
- 0 % of the mixture consists of component(s) of unknown toxicity.
- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH I Health = 0 FIRE I Fire = 0 REACTIVITY Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

#### 3 Composition/Information on Ingredients

#### · Chemical characterization: Substance

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:	
75718-16-0 Poly[3-((2-aminoethyl)amino)propyl]methyl(dimethyl)siloxane, hydroxy-terminated	≤1.5%
Skin Irrititation 2, H315; Eye Irritation 2A, H319	
(Conta. o	n page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

### Trade Name: ZIRCONITE ZG-365 COATING

Alcohols, C12-14, ethoxylated	≤0.5%
< Eye Damage 1, H318; 🚸 Aquatic Acute 1, H400	
Alcohol Ethoxylate	≤0.5%
🚸 Acute Toxicity - Oral 4, H302	
Benzylhemiformal	≤0.5%
<ul> <li>Eye Damage 1, H318;</li> <li>Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Skin Irrititation 2, H315; Specific Target Organ Toxicity - Single Exposure 3, H335; Flammable Liquids 4, H227</li> </ul>	

#### • Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

· Description of first aid measures

- General information: If symptoms persist, call a physician.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in the side position for transportation.

• After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

• After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

### 5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Dilute with plenty of water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.
- · Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

### Trade Name: ZIRCONITE ZG-365 COATING

· PAC-1:

None of the ingredients are listed.

· PAC-2:

None of the ingredients are listed.

· PAC-3;

None of the ingredients are listed.

### 7 Handling and Storage

- · Handling
- Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

### 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- Breathing equipment: Not required.
- Protection of hands:

Protective gloves recommended in manufacturing.



Protective gloves

### • Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

### Trade Name: ZIRCONITE ZG-365 COATING

### · Eye protection:



Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

<ul> <li>Information on basic physical and ch</li> <li>General Information</li> </ul>	emical properties	
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Liquid Grey Characteristic Not determined.	
· pH-value @ 20 °C (68 °F):	5.5-6	
<ul> <li>Change in condition Melting point/Melting range:</li> </ul>	Not determined.	
· Flash point:	None	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not applicable	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
· Vapor pressure @ 20 °C (68 °F):	≤23 hPa (≤17.3 mm Hg)	
<ul> <li>Density @ 20 °C (68 °F):</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	1 g/cm³ (8.345 lbs/gal) Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with: Water:</li> </ul>	Fully miscible.	
· Partition coefficient (n-octanol/water)	: Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.	
<ul> <li>Solvent content: VOC content:</li> </ul>	0.00 % 0.0 g/l / 0.00 lb/gal	
• Other information:	No further relevant information available.	(Contd. on

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

Trade Name: ZIRCONITE ZG-365 COATING

### 10 Stability and Reactivity

- · *Reactivity:* No further relevant information available.
- · Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 1 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

### 68439-50-9 Alcohols, C12-14, ethoxylated

Oral LD50 9,350 mg/kg (Rat)

Dermal LD50 >2,000 mg/kg (Rat)

### Primary irritant effect:

- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: No irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

· Toxicity:	
· Aquatic toxicity:	
68439-50-9 Alcohols, C12-14, ethoxylated	
EC50 0.5 mg/l (Green algae)	
0.8 mg/l (Water flea)	

· Persistence and degradability: No further relevant information available.

· Behavior in environmental systems:

- · *Bioaccumulative potential:* No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:

· General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

### Trade Name: ZIRCONITE ZG-365 COATING

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

### 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 4 Transport Informatior

<ul> <li>UN-Number:</li> <li>DOT, ADR/ADN, IMDG, IATA</li> <li>UN proper shipping name:</li> <li>DOT, ADR/ADN, IMDG, IATA</li> <li>Transport hazard class(es):</li> </ul>	Non-Regulated Material Non-Regulated Material
<ul> <li>DOT, ADR/ADN, ADN, IMDG, IATA</li> <li>Class:</li> <li>Packing group:</li> <li>DOT, ADR/ADN, IMDG, IATA</li> <li>Environmental hazards:</li> <li>Special precautions for user:</li> <li>Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code:</li> <li>UN "Model Regulation":</li> </ul>	Non-Regulated Material Non-Regulated Material Not applicable. Not applicable. <b>f</b> Not applicable. Non-Regulated Material

5 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):
  None of the ingredients are listed.
  Section 313 (Specific toxic chemical listings): None of the ingredients are listed.
  TSCA (Toxic Substances Control Act): All components have the value ACTIVE.
  Hazardous Air Pollutants None of the ingredients are listed.
  California Proposition 65:
  Chemicals known to cause cancer: None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients are listed.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

## Trade Name: ZIRCONITE ZG-365 COATING

Chemicals known to cause reproduc	ctive toxicity for males:
None of the ingredients are listed.	
Chemicals known to cause develop	nental toxicity:
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
None of the ingredients are listed.	
New Jersey Special Hazardous Subs	stance List:
None of the ingredients are listed.	
Pennsylvania Right-to-Know List:	
None of the ingredients are listed.	
Pennsylvania Special Hazardous Su	bstance List:
None of the ingredients are listed.	
Carcinogenic categories:	
EPA (Environmental Protection Age	ncy):
None of the ingredients are listed.	
TLV (Threshold Limit Value establish	hed by ACGIH):
None of the ingredients are listed.	
NIOSH-Ca (National Institute for Occ	cupational Safety and Health):
None of the ingredients are listed.	
GHS label elements Non-Regulated N	
Hazard pictograms: Non-Regulated Material	laterial
Signal word: Non-Regulated Material Hazard statements: Non-Regulated M	laterial
National regulations:	
-	pelled according with the prevailing version of the regulations o

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

<sup>·</sup> Date of last revision/ revision number: 02/07/2022 / 1

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 02/07/2022

Reviewed on 02/07/2022

### Trade Name: ZIRCONITE ZG-365 COATING

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irrititation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 • \* Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106